

**MODEL 215**  
except AMG models and CL600

**Passenger cars Model Year 2006**  
USA

**Model 215**



Customer: \_\_\_\_\_

Repair order number: \_\_\_\_\_

First visit at 1,000 - 3,000 miles Performed YES  NO

Tire Rotation (non staggered width wheel setup only) Performed in accordance with the tire manufacturer's recommended intervals Tires rotated YES  NO

Tire Inspection (staggered and non-staggered width wheel setup) Inspect tires for damage and correct tire inflation pressure Tires inspected YES  NO

Current mileage reading: \_\_\_\_\_

Oil grade/viscosity: \_\_\_\_\_

Additional notes: \_\_\_\_\_

Service work to be performed as advised by service advisor:

Completion date:

Confirm work has been performed by signing below:


1st A service at 13,000 miles or 1 year, then every 26,000 miles or 2 years




1st B service at 26,000 miles or 2 years, then every 26,000 miles or 2 years









Determine "Additional Work" needed, if any. Refer to "Additional work" section (check if applicable)

at approx. every:	52,000 mi or 4 years	<input type="checkbox"/>	every:	2 years	<input type="checkbox"/>
	52,000 mi or 5 years	<input type="checkbox"/>		5 years	<input type="checkbox"/>
	65,000 mi or 5 years	<input type="checkbox"/>	once at:	39,000 mi	<input type="checkbox"/>
	91,000 mi or 5 years	<input type="checkbox"/>		143,000 mi	<input type="checkbox"/>
	143,000 mi or 15 years	<input type="checkbox"/>			

**i** See last page for "Additional Work".

Additional flat rates apply for procedures marked with  AP

Completed <input checked="" type="checkbox"/>	A-Service <input type="checkbox"/>	<input type="radio"/> B-Service	Not OK
↓	↓	↓	↓
	<b>Interior</b>		
<input type="checkbox"/> Reset maintenance counter in instrument cluster	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	AP00.20-P-0042M
<input type="checkbox"/> Replace dust filter (if equipped)		<input checked="" type="checkbox"/>	AP83.00-P-8381MA
<b>Function check</b>			
<input type="checkbox"/> Warning/indicator lamps, illumination and interior lighting	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Windshield wipers, windshield washer system	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/> AP82.35-P-8252BA
<input type="checkbox"/> Headlamp cleaning system	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Horn, high beam flasher, hazard warning flashers, turn signals	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Front and rear lamps	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Check seat belts for damage and proper function		<input checked="" type="checkbox"/>	<input type="checkbox"/> AP91.40-P-9150M
<input type="checkbox"/> Check parking brake (function test only)		<input checked="" type="checkbox"/>	<input type="checkbox"/> AP42.00-P-4290BA
	<b>Wheels, brakes</b>		
<input type="checkbox"/> Remove and mount wheels		<input checked="" type="checkbox"/>	AP40.10-P-4050Z
<input type="checkbox"/> Check front brake pads for lining thickness (remove 1 front wheel)	<input checked="" type="checkbox"/>		<input type="checkbox"/> AP42.10-P-4251I
<input type="checkbox"/> Check brake pads for lining thickness front/rear		<input checked="" type="checkbox"/>	<input type="checkbox"/> AP42.10-P-4251I
<input type="checkbox"/> Check condition/thickness of brake discs front/rear		<input checked="" type="checkbox"/>	<input type="checkbox"/> AP42.10-P-4251I
<input type="checkbox"/> Check tires for damage and condition	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/> AP40.10-P-4051Z
<input type="checkbox"/> Measure tread depth, enter in mm:		<input checked="" type="checkbox"/>	AP40.10-P-4051Z
LF      RF      LR      RR			
outside _____			
center _____			
inside _____			
<input type="checkbox"/> Correct tire inflation pressure	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	<b>Underside of vehicle</b>		
<input type="checkbox"/> <b>Leakage - Major components</b> Check for chafe marks, line routing, damaged components <b>i</b> In the event of leakage, determine cause and perform repair via separate work order		<input checked="" type="checkbox"/>	<input type="checkbox"/> AP00.20-P-0053BA
<input type="checkbox"/> Check condition of front axle ball joints and rubber boots		<input checked="" type="checkbox"/>	<input type="checkbox"/> AP33.20-P-3353BA
<input type="checkbox"/> Check condition of steering mechanical components and rubber boots		<input checked="" type="checkbox"/>	<input type="checkbox"/> AP46.00-P-4653F

Completed <input checked="" type="checkbox"/>	A-Service <input type="checkbox"/>	<input type="radio"/> B-Service	Not OK
↓	↓	↓	↓
	<b>Engine compartment</b>		
<input type="checkbox"/> <b>Leakage - Major components</b> Check for chafe marks, line routing, damaged components <b>i</b> In the event of leakage, determine cause and perform repair via separate work order	<input type="checkbox"/>	<input checked="" type="radio"/>	<input type="checkbox"/> AP00.20-P-0053BA
<input type="checkbox"/> Check condition of poly-V-belt	<input type="checkbox"/>	<input checked="" type="radio"/>	<input type="checkbox"/> AP13.22-P-1351Z
<input type="checkbox"/> Check catch, safety catch and hinges on engine hood for proper operation.	<input checked="" type="checkbox"/>	<input checked="" type="radio"/>	<input type="checkbox"/> AP88.40-P-8851M
<input type="checkbox"/> Engine oil and filter change <b>Check fluid level, correct as required</b> <b>i</b> If there is a loss of fluid, determine cause and perform repair via separate work order	<input checked="" type="checkbox"/>	<input checked="" type="radio"/>	AP18.00-P-0101AF
<input type="checkbox"/> Brake system	<input checked="" type="checkbox"/>	<input checked="" type="radio"/>	<input type="checkbox"/> AP42.10-P-4210Z
<input type="checkbox"/> Power steering	<input type="checkbox"/>	<input checked="" type="radio"/>	<input type="checkbox"/> AP46.00-P-4611N
<input type="checkbox"/> Active Body Control	<input type="checkbox"/>	<input checked="" type="radio"/>	<input type="checkbox"/> AP32.50-P-3213I
<input type="checkbox"/> Windshield washer system (incl. summer/winter cleanser)	<input checked="" type="checkbox"/>	<input checked="" type="radio"/>	AP82.35-P-8210N
	<b>Vehicle front/rear</b>		
<input type="checkbox"/> Check and correct headlamp setting	<input type="checkbox"/>	<input checked="" type="radio"/>	<input type="checkbox"/> AP82.10-P-8260M
<input type="checkbox"/> Check wiper blade condition	<input checked="" type="checkbox"/>	<input checked="" type="radio"/>	<input type="checkbox"/> AP82.30-P-8253G
	<b>Trunk</b>		
<input type="checkbox"/> Correct tire inflation pressure in spare tire	<input checked="" type="checkbox"/>	<input checked="" type="radio"/>	<input type="checkbox"/>
<input type="checkbox"/> Check trunk lighting	<input checked="" type="checkbox"/>	<input checked="" type="radio"/>	<input type="checkbox"/>
<input type="checkbox"/> Battery, check battery condition using "Midtronics MCR 717" Tester	<input checked="" type="checkbox"/>	<input checked="" type="radio"/>	<input type="checkbox"/> AP54.10-U-5453A
<b>Additional Work</b>			
Completed <input checked="" type="checkbox"/>	Perform:	Yes	Not OK
↓		↓	↓
<b>Once at 39,000 mi:</b>			
	<input type="checkbox"/> Automatic transmission - oil and filter change	<input type="checkbox"/>	AP27.00-P-2702W
<b>At approx. every 52,000 mi or 4 years:</b>			
	<input type="checkbox"/> Check condition of driveshaft flex discs	<input type="checkbox"/>	<input type="checkbox"/> AP41.10-P-4152Z
	<input type="checkbox"/> Replace air cleaner filter element	<input type="checkbox"/>	
<b>At approx. every 52,000 mi or 5 years:</b>			
	<input type="checkbox"/> Replace activated charcoal filter (if equipped)	<input type="checkbox"/>	AP83.00-P-8382M
<b>At approx. every 65,000 mi or 5 years:</b>			
	<input type="checkbox"/> Replace fuel filter	<input type="checkbox"/>	AP47.20-P-0780DC

Completed <input checked="" type="checkbox"/>	Perform:	Yes	Not OK
↓		↓	↓
<b>At approx every 91,000 mi or 5 years:</b>			
AP	<input type="checkbox"/> Replace spark plugs	<input type="checkbox"/>	AP15.10-P-1580AB
<b>At approx. every 143,000 mi or 15 years:</b>			
AP	<input type="checkbox"/> Replace coolant (water/anticorrosion/antifreeze mixture)	<input type="checkbox"/>	AP20.00-P-2080DA
<b>Every 2 years:</b>			
AP	<input type="checkbox"/> Replace brake fluid	<input type="checkbox"/>	AP42.00-P-4280BA
AP	<input type="checkbox"/> Check body paint damage by service advisor	<input type="checkbox"/>	<input type="checkbox"/> AP98.00-P-9850BA
AP	<input type="checkbox"/> Check chassis and supporting body parts for damage and corrosion by service advisor	<input type="checkbox"/>	<input type="checkbox"/> AP00.20-P-0090BA
<b>Every 5 years:</b>			
AP	<input type="checkbox"/> Tilt/sliding roof: clean sliding rails and sliders	<input type="checkbox"/>	<input type="checkbox"/> AP77.20-P-7731A
<b>Vehicle over 143,000 mi:</b>			
<b>Check if all fluid levels and changes are updated</b>			
AP	<input type="checkbox"/> Transmission	<input type="checkbox"/>	<input type="checkbox"/>
AP	<input type="checkbox"/> Rear axle	<input type="checkbox"/>	<input type="checkbox"/>
<b>Check if air, fuel, ventilation filters are updated</b>			
AP	<input type="checkbox"/> Engine air filter	<input type="checkbox"/>	<input type="checkbox"/>
AP	<input type="checkbox"/> Fuel filter	<input type="checkbox"/>	<input type="checkbox"/>
AP	<input type="checkbox"/> Dust filter (if applicable)	<input type="checkbox"/>	<input type="checkbox"/>
AP	<input type="checkbox"/> Activated charcoal filter (if applicable)	<input type="checkbox"/>	<input type="checkbox"/>
<b>Check integrity of engine, mechanical components</b>			
AP	<input type="checkbox"/> Perform compression test (hot and cold) Refer to BE01.00-Z-9999AZ	<input type="checkbox"/>	<input type="checkbox"/>
AP	<input type="checkbox"/> Perform leak down test (hot and cold)	<input type="checkbox"/>	<input type="checkbox"/> AP00.20-P-0053BA
AP	<input type="checkbox"/> Check spark plugs	<input type="checkbox"/>	<input type="checkbox"/>
AP	<input type="checkbox"/> Exhaust system hangers and leaks	<input type="checkbox"/>	<input type="checkbox"/>
<b>Check damaged / worn drivetrain parts</b>			
AP	<input type="checkbox"/> Front wheel bearing play	<input type="checkbox"/>	<input type="checkbox"/>
AP	<input type="checkbox"/> Rear wheel bearing play	<input type="checkbox"/>	<input type="checkbox"/>
AP	<input type="checkbox"/> Axle joint play	<input type="checkbox"/>	<input type="checkbox"/>
AP	<input type="checkbox"/> Flexible disks	<input type="checkbox"/>	<input type="checkbox"/>
AP	<input type="checkbox"/> Tie rod and drag link joints	<input type="checkbox"/>	<input type="checkbox"/>