

MODEL 203
except AMG models

Passenger cars Model Year 2007
USA

Model 203 

Customer: _____

Repair order number: _____

First visit at 1,000 - 3,000 miles Performed YES NO

Tire Rotation (non-staggered width wheel setup only) Performed in accordance with the tire manufacturer's recommended intervals Tires rotated YES NO

Tire Inspection (staggered and non-staggered width wheel setup) Inspect tires for damage and correct tire inflation pressure Tires inspected YES NO

Current mileage reading: _____

Oil grade/viscosity: _____

Additional notes: _____

Service work to be performed as advised by service advisor:

Completion date:

Confirm work has been performed by signing below:



1st A service at 13,000 miles or 1 year, then every 26,000 miles or 2 years




1st B service at 26,000 miles or 2 years, then every 26,000 miles or 2 years

Determine "Additional Work" needed, if any. Refer to "Additional work" section (check if applicable)

once at:	13,000 mi or 1 year	<input type="checkbox"/>	every:	2 years	<input type="checkbox"/>
	39,000 mi	<input type="checkbox"/>		5 years	<input type="checkbox"/>
	143,000 mi	<input type="checkbox"/>			
at approx. every:	52,000 mi or 4 years	<input type="checkbox"/>			
	52,000 mi or 5 years	<input type="checkbox"/>			
	65,000 mi or 5 years	<input type="checkbox"/>			
	91,000 mi or 5 years	<input type="checkbox"/>			
	143,000 mi or 15 years	<input type="checkbox"/>			

i See last page for "Additional Work".
Additional flat rates apply for procedures marked with  AP

Completed <input checked="" type="checkbox"/>	A-Service <input type="checkbox"/>	<input type="checkbox"/> B-Service	Not OK
↓	↓	↓	↓
	Interior		
<input type="checkbox"/> Reset maintenance counter in instrument cluster	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	AP00.20-P-0042PIT
Function check			
<input type="checkbox"/> Horn, high beam flasher, hazard warning flashers, turn signals	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Warning/indicator lamps, illumination and interior lighting	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/> AP54.30-P-5452C
<input type="checkbox"/> Front and rear lamps	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Windshield wipers, windshield washer system	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/> AP82.35-P-8252BA
<input type="checkbox"/> Headlamp cleaning system	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Check seat belts for damage and proper function	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/> AP91.40-P-9150P
<input type="checkbox"/> Check parking brake (function test only)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/> AP42.00-P-4290BA
	Wheels, brakes		
<input type="checkbox"/> Remove and mount wheels	<input type="checkbox"/>	<input checked="" type="checkbox"/>	AP40.10-P-4050Z
<input type="checkbox"/> Check front brake pads for lining thickness (remove right front wheel)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> AP42.10-P-4251BP
<input type="checkbox"/> Check brake pads for lining thickness front/rear	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/> AP42.10-P-4251BP
<input type="checkbox"/> Check condition/thickness of brake discs front/rear	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/> AP42.10-P-4251BP
<input type="checkbox"/> Check tires for damage and condition	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/> AP40.10-P-4051Z
<input type="checkbox"/> Measure tread depth, enter in mm:	<input type="checkbox"/>	<input checked="" type="checkbox"/>	AP40.10-P-4051Z
LF RF LR RR			
outside _____			
center _____			
inside _____			
<input type="checkbox"/> Correct tire inflation pressure and enter in bar or psi.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
LF RF LR RR			
bar/psi: _____			
	Underside of vehicle		
<input type="checkbox"/> Leakage - Major components Check for chafe marks, line routing, damaged components i In the event of leakage, determine cause and perform repair via separate work order	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/> AP00.20-P-0053BA
<input type="checkbox"/> Check condition of front axle ball joints and rubber boots	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/> AP33.20-P-3353BP
<input type="checkbox"/> Check condition of steering mechanical components and rubber boots	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/> AP46.00-P-4653F

Completed <input checked="" type="checkbox"/>	A-Service <input type="checkbox"/>	B-Service <input type="checkbox"/>	Not OK
↓	↓	↓	↓
	Engine compartment		
<input type="checkbox"/> Leakage - Major components Check for chafe marks, line routing, damaged components i In the event of leakage, determine cause and perform repair via separate work order	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/> AP00.20-P-0053BA
<input type="checkbox"/> Engine oil and filter change	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	AP18.00-P-0101PIT
<input type="checkbox"/> Check condition of poly-V-belt	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/> AP13.22-P-1351PIT
<input type="checkbox"/> Check catch, safety catch and hinges on engine hood for proper operation.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
<input type="checkbox"/> Replace dust filter	<input type="checkbox"/>	<input checked="" type="checkbox"/>	AP83.00-P-8381P
Check fluid level, correct as required i If there is a loss of fluid, determine cause and perform repair via separate work order			
<input type="checkbox"/> Brake system	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/> AP42.10-P-4210Z
<input type="checkbox"/> Power steering	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/> AP46.00-P-4611P
<input type="checkbox"/> Windshield washer system (incl. summer/winter cleanser)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	AP82.35-P-8210P
<input type="checkbox"/> Battery, check and correct fluid level; check battery condition using "Midtronics MCR 717" Tester. Attach Midtronics MCR 717 Test Report print out here.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/> AP54.10-U-5453A
	Vehicle front/rear		
<input type="checkbox"/> Check and correct headlamp setting	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/> AP82.10-P-8260P
<input type="checkbox"/> Check wiper blade condition	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/> AP82.30-P-8253G
	Trunk		
<input type="checkbox"/> Correct inflation pressure in spare tire and enter in bar or psi. bar/psi: _____	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Check trunk lighting	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Additional Work			
Completed <input checked="" type="checkbox"/>	Perform:	Yes	Not OK
↓		↓	↓
Once at first service at 13,000 mi or 1 year:			
	<input type="checkbox"/> Parking brake - Adjust cable slack	<input type="checkbox"/>	<input type="checkbox"/> AP42.20-P-4262P
Once at 39,000 mi:			
	<input type="checkbox"/> Automatic transmission - oil and filter change	<input type="checkbox"/>	
	Transmission 722.6:		AP27.00-P-2702P
	Transmission 722.9:		AP27.00-P-2702W
	<input type="checkbox"/> Transfer case - oil change (4MATIC models)	<input type="checkbox"/>	AP28.00-P-2801P

Completed <input checked="" type="checkbox"/>		Perform:	Yes	Not OK
↓			↓	↓
At approx. every 52,000 mi or 4 years:				
 AP	<input type="checkbox"/>	Check condition of driveshaft flex discs	<input type="checkbox"/>	<input type="checkbox"/> AP41.10-P-4152Z
 AP	<input type="checkbox"/>	Replace air cleaner filter element	<input type="checkbox"/>	
At approx. every 52,000 mi or 5 years:				
 AP	<input type="checkbox"/>	Replace activated charcoal filter (if equipped)	<input type="checkbox"/>	AP83.00-P-8382P
At approx. every 65,000 mi or 5 years:				
 AP	<input type="checkbox"/>	Replace fuel filter	<input type="checkbox"/>	AP47.20-P-0780PIT
At approx every 91,000 mi or 5 years:				
 AP	<input type="checkbox"/>	Replace spark plugs (Engine 272)	<input type="checkbox"/>	AP15.10-P-1580PIT
At approx. every 143,000 mi or 15 years:				
 AP	<input type="checkbox"/>	Replace coolant (water/anticorrosion/antifreeze mixture)	<input type="checkbox"/>	AP20.00-P-2080PIT
Every 2 years:				
 AP	<input type="checkbox"/>	Replace brake fluid	<input type="checkbox"/>	AP42.00-P-4280BP
 AP	<input type="checkbox"/>	Check body for paint damage by service advisor	<input type="checkbox"/>	<input type="checkbox"/> AP98.00-P-9850BA
 AP	<input type="checkbox"/>	Check chassis and supporting body parts for damage and corrosion by service advisor	<input type="checkbox"/>	<input type="checkbox"/> AP00.20-P-0090BA
Every 5 years:				
 AP	<input type="checkbox"/>	Tilt/sliding roof: clean sliding rails and sliders	<input type="checkbox"/>	<input type="checkbox"/> AP77.20-P-7731A
Vehicle over 143,000 mi:				
Check if all fluid levels and changes are updated				
 AP	<input type="checkbox"/>	Transmission	<input type="checkbox"/>	<input type="checkbox"/>
 AP	<input type="checkbox"/>	Rear axle	<input type="checkbox"/>	<input type="checkbox"/>
 AP	<input type="checkbox"/>	Front axle (if applicable)	<input type="checkbox"/>	<input type="checkbox"/>
 AP	<input type="checkbox"/>	Transfer case (if applicable)	<input type="checkbox"/>	<input type="checkbox"/>
Check if air, fuel, ventilation filters are updated				
 AP	<input type="checkbox"/>	Engine air filter	<input type="checkbox"/>	<input type="checkbox"/>
 AP	<input type="checkbox"/>	Fuel filter	<input type="checkbox"/>	<input type="checkbox"/>
 AP	<input type="checkbox"/>	Dust filter	<input type="checkbox"/>	<input type="checkbox"/>
 AP	<input type="checkbox"/>	Activated charcoal filter (if equipped)	<input type="checkbox"/>	<input type="checkbox"/>
Check integrity of engine, mechanical components				
 AP	<input type="checkbox"/>	Perform compression test (hot and cold) Refer to BE01.00-Z-9999AZ	<input type="checkbox"/>	<input type="checkbox"/>
 AP	<input type="checkbox"/>	Perform leak down test (hot and cold)	<input type="checkbox"/>	<input type="checkbox"/> AP00.20-P-0053BA
 AP	<input type="checkbox"/>	Check spark plugs	<input type="checkbox"/>	<input type="checkbox"/>
 AP	<input type="checkbox"/>	Exhaust system hangers and leaks	<input type="checkbox"/>	<input type="checkbox"/>

Completed <input checked="" type="checkbox"/>	Perform:	Yes	Not OK
↓		↓	↓
Check damaged / worn drivetrain parts			
AP	<input type="checkbox"/> Front wheel bearing play	<input type="checkbox"/>	<input type="checkbox"/>
AP	<input type="checkbox"/> Rear wheel bearing play	<input type="checkbox"/>	<input type="checkbox"/>
AP	<input type="checkbox"/> Axles joint play	<input type="checkbox"/>	<input type="checkbox"/>
AP	<input type="checkbox"/> Driveshaft flexible discs	<input type="checkbox"/>	<input type="checkbox"/>
AP	<input type="checkbox"/> Tie rod and drag link joints	<input type="checkbox"/>	<input type="checkbox"/>