

Customer:	Repair order nu	umber:		
Current mileage reading:	Oil grade/visco	Oil grade/viscosity:		
Additional notes:				
Service work to be performed as advised by service advisor:	Completion date	Confirm work has been performed by signing below:		

## i

.

US Service1 through US Service 11 apply to "Additional work" items only.

Vehicle determines need for US Service 12 (Engine oil and filter change) as well as US Service 13 or US Service 14 (formerly A-Service and B-Service respectively).

Perform service necessary as indicated in display of instrument cluster only.

Perform each service as described.

Mercedes-Benz USA, LLC Mercedes-Benz Canada, Inc. Reproduction or translation in whole or in part is not permitted without written authorization from the publisher. 1-1800-FOR-MERCedes

Service

15.03.04

completed	×↓			Not O.ł ↓	۲.
US Service 1		Display in instrument cluster			
		Wheels, brakes			
		Check brake pads for thickness, check condition of brake discs			AP42.10-P-4251R
US Service 2		every 60,000 mi/96.,000 km or 4 year	rs:		
		Engine compartment			
		Replace air-cleaner insert	Engines 112, 113, 113.990		
US Service 3		every 30,000 mi/48,000 km or 2 year	s:		
		Engine compartment			
		Replace combination filter	Model E320		AP83.00-P-8384T
MY 2004 only		Replace compressor poly-V-belt	Engine 113.990		AP13.22-P-1381R
US Service 4		every 30,000 mi/48,000 km or 2 years:			
		Engine compartment			
		Replace dust filter	Model E500		AP83.00-P-8381T
US Service 5		every 60,000 mi/96, 000 km or 5 year	rs:		
		Engine compartment			
		Replace fuel filter	Engines 112, 113		AP47.20-P-0780TC
US Service 6		every 60,000 mi/96,000 km or 5 years:			
		Engine compartment			
		Replace activated charcoal	Model E500		AP83.00-P-8382F
US Service 7		every 100,000 mi/160,000 km or 5 ye	ars:		
		Engine compartment			
		Replace spark plugs	Engines 112, 113		AP15.10-P-1580AB
US Service 8		every 150,000 mi/250,000 km or 15 years:			
		Engine compartment			
		Replace coolant	Gasoline engines		AP20.00-P-2080DA

completed	×			Not O.I	κ.
US Service 9		every 2 years:			
		Check bodywork for paintwork damage by service advisor	9		AP98.00-P-9850BA
		Underside of vehicle			
		Chassis and load-bearing body compo Check for damage and corrosion <b>by service advisor</b>	nents:		AP00.20-P-0090BA
		Engine compartment			
		Replace brake fluid Check preload pressure of pressure reservoir			AP42.00-P-4281T
US Service 10		every 3 years MY 2003 only every 5 years MY 2004 only			
		Passenger compartment			
		Sliding/pop-up roof: Clean slide rails a	nd slide shoes		AP77.20-P-7731A
US Service 11		every 3 years MY 2003 of required at every service MY 2004 of			
		Passenger compartment			
		Panoramic sliding roof: Clean and lubr	icate guide mechanism		AP77.20-P-7732PB
US Service 12		Engine compartment			
		Engine - oil and filter change	Engine 112		AP18.00-P-0101AE
			Engine 113.967		AP18.00-P-0101AF
			Engine 113.990		AP18.00-P-0101R
US Service US Ser 13 ↓	vice 14 ↓			Not O.I ↓	κ.
		Engine compartment			
	0	Visually check for leaks in major assen damaged components, line routing and chafing marks. In the event of fluid loss, determine can and rectify subject to separate repair o	use		AP00.20-P-0053BA
	0	Auxiliary battery, Check battery condition using			AP54.10-U-5453A
	0	"Midtronics MCR 717" Tester Inspect poly-V-belt for damage			AP13.22-P-1351Z

US Service 13 ↓	US Service 14 ↓		Not O.⊬ ↓	ζ.
	0	Check catch and safety catch and hinges on engine hood for proper operation. Replace components with even the slightest malfunction.		AP88.40-P-8851T
		Check fluid level, correct as required		
	0	Brake system		AP42.10-P-4210Z
	0	Power steering If fluid loss is discovered, ascertainand rectify the cause as a separate repair order.		AP46.00-P-4611BB
	0	Windshield wipers, washer system (incl. summer/winter cleanser)		AP82.30-P-8252T
	$\sum$	Interior		
		Function test		
	0	Warning/indicator lamps, illumination and interior lighting		
	0	Windshield wipers, washer system, headlamp cleaning system		AP82.30-P-8252T
	0	Check safety belts and buckles for signs of external damage and function		AP91.40-P-9150M
	0	Check Sensotronic Brake Control (SBC) hydraulic unit		AP42.50-P-4259A
	0	Reset service indicator in instrument cluster		
	0	Check parking brake (function test only)		AP42.00-P-4290R
		Wheels, brakes		
	0	Inspect tires for damage and splits, measure tread depth, enter in mm: LF RF LR RR outside center inside		AP40.10-P-4051Z
	0	Check thickness of brake pads (remove 1 front wheel at Service 13)		AP42.10-P-4251R
	0	Check thickness of front/rear brake pads (required at Service 14)		AP42.10-P-4251R
	0	Correct tire inflation pressure (incl. spare tire)		

US Service 13 ↓	US Service 14 ↓		Not O.K ↓	ζ.
T 1	0	Underside of vehicle Visually check for leaks in major assemblies, damaged components, line routing and chafing. In the event of fluid loss, determine cause and rectify subject to separate repair order.		AP00.20-P-0053BA
	0	Check front axle joints for play, check rubber boots		AP33.20-P-3353BA
	0	Inspect condition of flexible discs		AP41.10-P-4152Z
	0	Inspect play of tie rod and drag link joints, inspect rubber boots		AP46.00-P-4653F
6		Trunk		
	0	<b>If so equipped:</b> Battery, AGM/VRLA, with black housing Check battery condition using "Midtronics MCR 717" Tester		AP54.10-U-5453A
	0	<b>If so equipped:</b> Battery, wet cell Check acid level, replenish		AP54.10-P-5410A
	0	Additionally, check battery condition using "Midtronics MCR 717" Tester		AP54.10-U-5453A