Mercedes-Benz

SERVICE SHEET for Mercedes-Benz Maintenance System (USA)

MODEL 219

AP00.20-U-1208TA

AMG models only

Passenger cars Model Year 2006

USA



Customer:			Repair order number:			
at 1,000 - 3,000 miles	Performed	YES	NO			
during first visit CLS55 with AMG performance package only - Code 030)	Performed	YES	NO			
Performed in accordance with the tire nanufacturer's recommended intervals	Tires rotated	YES	NO			
nspect tires for damage and correct tire nflation pressure	Tires inspected	YES	NO			
	Oil grade/viscosity:	:				
s advised by Completion date:		k has been perfo	ormed by signing			
	Auring first visit CLS55 with AMG performance package only - Code 030) Performed in accordance with the tire nanufacturer's recommended intervals nspect tires for damage and correct tire nflation pressure	Auring first visit Performed CLS55 with AMG performance package Performed ponly - Code 030) Tires rotated Performed in accordance with the tire Tires rotated nanufacturer's recommended intervals Tires inspected Inspect tires for damage and correct tire Tires inspected Inflation pressure Oil grade/viscosity	Auring first visit Performed YES CL555 with AMG performance package Oil grade/viscosity: performed in accordance with the tire Tires rotated YES nanufacturer's recommended intervals Tires inspected YES nspect tires for damage and correct tire Tires inspected YES nflation pressure Oil grade/viscosity:			

i

US Service 4 through US Service 20 apply to "Additional work" items only.

Vehicle determines need for US Service 3 (Engine oil and filter change) as well as US Service 1 or US Service 2. Perform each service as described.

US Service		first at 10,000 mi or 1 year;	after first every 20,000 mi or 2 years	
1	US Service	first at 20.000 mi or 2 years:	after first every 20,000 mi or 2 years	
	2		Not OK	
	\downarrow		↓	
		Engine compartment		
	0	Leakage - Major components Check for chafe marks, line routing, dama- ged components i In the event of leakage, determine cau- se and perform repair via separate work or- der		AP00.20-P-0053TX
	0	Check condition of poly-V-belt		AP13.22-P-1351TX
	0	Check catch, safety catch and hinges on en- gine hood for proper operation.		AP88.40-P-8851TX
	0	Check auxiliary battery condition using "Midtronics MCR 717" Tester		AP54.10-U-5453A
		Check fluid level, correct as required i If there is a loss of fluid, determine cau- se and perform repair via separate work or- der		
	0	Brake system		AP42.10-P-4210TX
	0	Power steering		AP46.00-P-4611TX
	0	Windshield washer system (incl. summer/winter cleanser)		AP82.35-P-8210TX
		Interior		
	0	Reset service indicator in instrument cluster		AP00.20-P-0042TX
		Function test		
	0	Check parking brake (function test only)		AP42.00-P-4290TX
	0	Horn, warning/indicator lamps, illumina- tion and interior lighting		
	0	Audible warning system		AP54.30-P-5450TX
	0	Windshield wipers, windshield washer sy- stem		AP82.30-P-8252TX
	0	Headlamp cleaning system		
	0	Check seat belts and buckles for signs of ex- ternal damage and proper function		AP91.40-P-9150TX
	0	Check hydraulic unit of Sensotronic Brake Control (SBC)		AP42.50-P-4259TX
T		Wheels, brakes		
	0	Remove and install wheels		AP40.10-P-4050TX
		Check front brake pads for lining thickness (remove one front wheel)		AP42.10-P-4251TX
	0	Check front/rear brake pads for lining thickness		AP42.10-P-4251TX
	0	Check condition/thickness of front/rear brake discs		AP42.10-P-4251TX

1	2		Not OK	
↓	¥		\downarrow	
	0	Inspect tires for damage and splits, measu- re tread depth, enter in mm: LF RF LR RR		AP40.10-P-4051TX
		outside center		
		inside		
	0	Correct tire inflation pressure		
	3	Underside of vehicle		
	0	Leakage - Major components Check for chafe marks, line routing, dama- ged components 1 In the event of leakage, determine cau- se and perform repair via separate work or- der		AP00.20-P-0053TX
	0	Check front axle ball joints for play, check rubber boots		AP33.20-P-3353TX
	0	Inspect condition of flexible discs		AP41.10-P-4152TX
	0	Check tie rod and drag link for play, check- rubber boots		AP46.00-P-4653TX
	Ĵ	Trunk		
	0	Check battery condition using "Midtronics MCR 717" Tester		AP54.10-U-5453A
	Ο	Check trunk lighting		
iolo	3)	Vehicle front/rear		
	0	Check wiper blade condition		AP82.30-P-8253G
	0	Check and correct headlamp setting		AP82.10-P-8260TX
Completed	d⊠ ↓		Not OK ↓	
US Service 3		every 10,000 mi or 1 year:		
		Engine compartment		
		Engine - oil and filter change		AP18.00-P-0101AF
US Service 4		every 2 years:		
		Check bodywork for paint work damage by service advisor		AP98.00-P-9850TX
		Engine compartment		
		Replace brake fluid Check preload pressure of pressure reser- voir		AP42.00-P-4281TX
		Underside of vehicle		
		Chassis and load-bearing body compo- nents: Check for damage and corrosion by service advisor		AP00.20-P-0090TX
US Service 5		every 30,000 mi or 2 years:		
		Engine compartment		
		Replace combination filter		AP83.00-P-8384TX

Completed	×			Not OK ↓	
US Service 6	· .	every 40,000 mi:		*	
of service of		Underside of vehicle			
г		Rear axle differential fluid replacement			
L		(CLS55 with AMG performance package			
		only - Code 030)			
US Service 7		not applicable			
US Service 8		every 40,000 mi or 4 years:			
		Engine compartment			
C		Replace compressor poly-V-belt			
Γ		Replace engine air-cleaner insert			AP09.10-P-0980TX
US Service 9		every 5 years:			
		Passenger compartment			
C		Tilting/sliding roof: Clean slide rail and sli- de block			AP77.20-P-7731TX
US Service 10		not applicable			
US Service 11		every 60,000 mi or 5 years:			
		Underside of vehicle			
C		Replace fuel filter			AP47.20-P-0780TX
US Service 12		every 100,000 mi or 5 years:			
		Engine compartment			
C		Replace spark plugs			AP15.10-P-1580TY
US Service 13		every 150,000 mi or 15 years:			
		Engine compartment			
C		Replace coolant			AP20.00-P-2080TX
US Service 14 - 19		not applicable			
US Service 20		once at 40,000 mi:			
		Underside of vehicle			
C	_	Automatic transmission - oil and filter change			AP27.00-P-2702I
Completed D		Perform:	Yes	Not OK	
1	-		Ļ	↓	
		Vehicle over 150,000 mi:			
		Check if all fluid levels and changes are up- dated			
₩AP [Transmission			
AP [Rear axle			
		Check if air, fuel, ventilation filters are up- dated			
₩AP [Engine air filter			
₩AP [Fuel filter			
	٦	Combination filter			
₩FAP					

	Completed ⊠ ↓	Perform:	Yes ↓	Not OK ↓	
		Check integrity of engine, mechanical co- monents			
₩AP		Perform compression test (hot and cold) Refer to BE01.00-Z-9999AZ			
₩ĨAP		Perform leak down test (hot and cold)			AP00.20-P-0053TX
₩ĨAP		Check spark plugs			
₩ĨAP		Exhaust system hangers and leaks			
		Check damaged / worn drivetrain parts			
₩P		Front wheel bearing play			
₩ĨAP		Rear wheel bearing play			
₩ĨAP		Axle joint play			
₩ĨAP		Flexible discs			
₩ĨAP		Tie rod and drag link joints			